

HU1000SS Enclosure Heater



Stainless shown



BFProducts Inc.

1327-J Wood Branch Dr. • Charlotte, NC 28273
 Office: 704-599-9407 • Fax: 704-599-0595
 customerservice@qmarketing.biz
 www.bfproductsinc.com



Rated for damp locations

- ETL listed for use in damp locations
- Designed to meet requirements outlined in ASSE-1060
- Built-in thermostat with frost protection (40° to 90°F)
- Stainless steel element
- 304 stainless steel housing
- Attached 6' NEMA 5-15P 3-prong cord
- Plug into GFCI outlet
- Field-mount option; #HU1000SS-FM
- Factory mounted inside wall of enclosure
- Convection/Radiant heat
- 1-year limited warranty




The HU1000SS Enclosure Heater

The HU1000SS enclosure heater is designed to keep pumps, valves, and farm machinery from freezing. Having the radiant heat absorbed by the metal equipment makes this heater more effective than convection heaters. The built-in thermostat turns off when the ambient temperature is safely above freezing. A steel guard helps keep foreign objects away from the element. This heater is simple and reliable with no moving parts to wear out or maintain, making it an inexpensive choice for freeze protection.

Ordering Information

MODEL	UPC#	VOLTAGE	WATTAGE	WEIGHT lbs
HU1000SS	12609	120	1000	4



Engineering Specifications

- Element:** 304 or 840 Stainless Steel.
- Thermostat:** Built-in snap action with a range of 40° to 90°F.
- Safety Limit:** Capillary tube running the full length of the element provides over-temperature protection then automatically resets when temperature drops.
- Enclosure:** Steel case with an expanded steel metal element shield (optional 20 gauge 304 Stainless Steel on -SS model).
- Safety Standard:** cETLus